

## Βιβλιογραφία - References

- Aimetti, M., Romano, F., Griga, F. B. & Godio, L. (2009) Clinical and histologic healing of human extraction sockets filled with calcium sulfate. *International Journal of Oral & Maxillofacial Implants* **24**, 902-909.
- Amler, M. H. (1969) The time sequence of tissue regeneration in human extraction wounds. *Oral Surgery Oral Medicine and Oral Pathology* **27**, 309-318.
- Amler, M. H. (1993) Age factor in human alveolar bone repair. *Journal of Oral Implantology* **19**, 138-142.
- Amler, M. H., Johnson, P. L. & Salman, I. (1960) Histological and histochemical investigation of human alveolar socket healing in undisturbed extraction wounds. *Journal of American Dental Association* **61**, 46-48.
- Anitua, E. (1999) Plasma rich in growth factors: preliminary results of use in the preparation of future sites for implants. *International Journal of Oral & Maxillofacial Implants* **14**, 529-535.
- Araújo, M. G. & Lindhe, J. (2005) Dimensional ridge alterations following tooth extraction. An experimental study in the dog. *Journal of Clinical Periodontology* **32**, 212-218.
- Araújo, M. G. & Lindhe, J. (2009a) Ridge alterations following tooth extraction with and without flap elevation: an experimental study in the dog. *Clinical Oral Implants Research* **20**, 545-549.
- Araújo, M., Linder, E., Wennstrom, J. & Lindhe, J. (2008) The influence of Bio-Oss Collagen on healing of an extraction socket: an experimental study in the dog. *International Journal of Periodontics and Restorative Dentistry* **28**, 123-135.
- Araújo, M. G. & Lindhe, J. (2009b) Ridge preservation with the use of Bio-Oss collagen: a 6-month study in the dog. *Clinical Oral Implants Research* **25**, 433-440.
- Araújo, M. G., Linder, E. & Lindhe, J. (2009) Effect of a xenograft on early bone formation in extraction sockets: an experimental study in dog. *Clinical Oral Implants Research* **20**, 1-6.
- Artzi, Z., Tal, H. & Dayan, D. (2000) Porous bovine bone mineral in healing of human extraction sockets. Part 1: histomorphometric evaluations at 9 months. *Journal of Periodontology* **71**, 1015-1023.
- Atwood, D. A. (1957) A cephalometric study of the clinical rest position of the mandible. Part II. The variability in the rate of bone loss following the removal of occlusal contacts. *Journal of Prosthetic Dentistry* **7**, 544-552.
- Atwood, D. A. (1971) Reduction of residual ridges: a major oral disease entity. *Journal of Prosthetic Dentistry* **26**, 266-279.
- Atwood, D. A. & Coy, W. A. (1971) Clinical, cephalometric and densitometric study of reduction of residual ridges. *Journal of Prosthetic Dentistry* **26**, 280-295.
- Barone, A., Aldini, N. N., Fini, M., Giardino, R., Calvo Guirado, J. L. & Covani, U. (2008) Xenograft versus extraction alone for ridge preservation after tooth removal: a clinical and histomorphometric study. *Journal of Periodontology* **79**, 1370-1377.
- Becker, W., Becker, B. E. & Caffesse, R. (1994). A comparison of demineralized freeze-dried bone and autologous bone to induce bone formation in human extraction sockets. *Journal of Periodontology* **65**:1128-1133.
- Becker, W., Clokie, C., Sennerby, L., Urist, M. R. & Becker, B. E. (1998) Histologic findings after implantation and evaluation of different grafting materials and titanium micro screws into extraction sockets: case reports. *Journal of Periodontology* **69**, 414-421.
- Becker, W., Urist, M., Becker, B. E., Jackson, W., Parry, D. A., Bartold, M., Vincenzzi, G., De Georges, D. & Niederwanger, M. (1996). Clinical and histologic observations of sites implanted with intraoral autologous bone grafts or allografts. 15 human case reports. *Journal of Periodontology* **67**, 1025-1033.
- Bell, R. & Beirne, O. R. (1988) Effect of hydroxyapatite, tricalcium phosphate and collagen on the healing of defects in the rat mandible. *Journal of Oral Maxillofacial Surgery* **46**, 589-594.
- Blanco, J., Nunez, V., Aracil, L., Munoz, F., Ramos, I. (2008) Ridge alterations following immediate implant placement in the dog: flap versus flapless surgery. *Journal of Clinical Periodontology* **35**, 640-648.
- Bodner, L., Kaffe, I., Littner, M. M. & Cohen, J. (1993) Extraction site healing in rats. A radiologic densitometric study. *Oral Surgery and Oral Medicine and Oral Pathology* **75**, 367-372.
- Boyne, P. J. (1966) Osseous repair of the postextraction alveolus in man. *Oral Surgery Oral Medicine Oral Pathology* **21**, 805-813.
- Breitbart, A. S., Staffenberg, D. A., Thorne, C. H., Glat, P. M., Cunningham, N. S., Reddi, A. H., Ricci, J. & Steiner, G. (1995) Tricalcium phosphate and osteogenin: a bioactive onlay bone graft substitute. *Plastic Reconstructive Surgery* **96**, 699-708.
- Brkovic, B. M., Prasad, H. S., Konandreas, G., Milan, R., Antunovic, D., Sandor, G. K. & Rohrer, M. D. (2008) Simple preservation of a maxillary extraction socket using beta-tricalcium phosphate with type I collagen: preliminary clinical and histomorphometric observations. *Journal of Canadian Dental Association* **74**, 523-528.
- Brugnami, F., Then, P. R., Moroi, H. & Leone, C. W. (1996) Histologic evaluation of human extraction socket treated with demineralized freeze-dried bone allograft (DFDBA) and cell occlusive membrane. *Journal of Periodontology* **67**, 821-825.
- Brunel, G., Brocard, D., Duffort, J. F., Jacquet, E., Justumus, P., Simonet, T. & Benque, E. (2001) Bioabsorbable materials for guided bone regeneration prior to implant placement and 7-year follow-up: report of 14 cases. *Journal of Periodontology* **72**, 257-264.
- Camargo, P. M., Lekovic, V., Weinlaender, M., Klokkevold, P. R., Kenney, E. B., Dimitrijevic, B., Nedic, M., Jancovic, S. & Orsini M. (2000) Influence of bioactive glass on changes in alveolar process dimensions after exodontia. *Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics* **90**, 581-586.
- Cardaropoli, G., Araujo, M. & Lindhe, J. (2003) Dynamics of bone tissue formation in tooth extraction sites. An experimental study in dogs. *Journal of Clinical Periodontology* **30**, 809-818.
- Carlsson, G. E., Bergman, B. & Hedegaard, B. (1967) Changes in contour of the maxillary alveolar process under immediate dentures. A longitudinal clinical and x-ray cephalometric study covering 5 years. *Acta Odontologica Scandinavica* **25**, 45-75.
- Carlsson, G. E. & Persson, G. (1967) Morphologic changes of the mandible after extraction and wearing of dentures. A longitudinal, clinical, and x-ray cephalometric study covering 5 years. *Odontologisk Revy* **18**, 27-54.
- Carmagnola, D., Adriaens, P. & Berglundh, T. (2003) Healing of

- human extraction sockets filled with Bio-Oss. *Clinical Oral Implants Research*, **14**, 137-143.
- Carvalho, T. L., Bombonato, K. F. & Brentegani, L. G. (1997) Histometric analysis of rat alveolar wound healing. *Brazilian Dental Journal* **8**, 9-12.
- Chen, S. T. & Buser, D. (2009) Clinical and esthetic outcomes of implants placed in post extraction sites. *International Journal of Oral & Maxillofacial Implants* **24** (Suppl.), 186-217.
- Chiapasco, M., Zaniboni, M. & Boisco M. (2006) Augmentation procedures for the rehabilitation of deficient edentulous ridges with oral implants. *Clinical Oral Implant Research* **17** (Suppl. 2), 136-159.
- Darby, I., Chen, S. T. & Buser, D. (2009) Ridge preservation techniques for implant therapy. *International Journal of Oral & Maxillofacial Implants* **24**, 260-271.
- De Coster, P., Browaeys, H & De Bruyn, H. (2011) Healing of extraction sockets filled with Bone Ceramic® prior to implant placement: preliminary histological findings. *Clinical Implant Dentistry and Related Research* **13**, 34-45.
- Dies, F., Etienne, D., Abboud, N. B. & Ouhayoun, J. P. (1996) Bone regeneration in extraction sites after immediate placement of an e-PTFE membrane with or without a biomaterial. A report on 12 consecutive cases. *Clinical Oral Implants Research* **7**, 277-285.
- Donos, N, Mardas, N. & Chadha, V. (2008) Clinical outcomes of implants following lateral bone augmentation: systematic assessment of available options (barrier membranes, bone grafts, split osteotomy). *Journal of Clinical Periodontology* **35** (Suppl. 8), 173-202.
- Evian, C. I., Rosenberg, E. S., Coslet, J. G. & Corn, H. (1982) The osteogenic activity of bone removed from healing extraction sockets in humans. *Journal of Periodontology* **53**, 81-85.
- Fickl, S., Zuhr, O., Wachtel, H., Bolz, W. & Huerzeler, M. (2008a) Tissue alterations after tooth extraction with and without surgical trauma: a volumetric study in the beagle dog. *Journal of Clinical Periodontology* **35**, 356-363.
- Fickl, S., Zuhr, O., Wachtel, H., Bolz, W. & Huerzeler, M. B. (2008b) Hard tissue alterations after socket preservation: an experimental study in the beagle dog. *Clinical Oral Implants Research* **19**, 1111-1118.
- Fiorellini, J. P., Howell, T. H., Cochran, D., Malmquist, J., Lilly, L. C., Spagnoli, D., Toljanic, J., Jones, A. & Nevins, M. (2005) Randomized study evaluating recombinant human bone morphogenetic protein-2 for extraction socket augmentation. *Journal of Periodontology* **76**, 605-613.
- Fotek, P. D. Neiva, R. F. & Wang, H. L. (2009) Comparison of dermal matrix and polytetrafluoroethylene membrane for socket bone augmentation: a clinical and histologic study. *Journal of Periodontology* **80**, 776-785.
- Froum, S., Cho, S. C., Elian, N., Rosenberg, E., Rohrer, M. & Tarnow, D. (2004) Extraction sockets and implantation of hydroxyapatites with membrane barriers: a histologic study. *Implant Dentistry* **13**, 153-164.
- Froum, S., Cho, S. C., Rosenberg, E., Rohrer, M. & Tarnow, D. (2002). Histological comparison of healing extraction sockets implanted with bioactive glass or demineralized freeze-dried bone allograft: a pilot study. *Journal of Periodontology* **73**, 94-102.
- Guarnieri, R., Pecora, G., Fini, M., Aldini, N. N., Giardino, R., Orsini, G. & Piattelli, A. (2004) Medical grade calcium sulfate hemihydrate in healing of human extraction sockets: clinical and histological observations at 3 months. *Journal of Periodontology* **75**, 902-908.
- Horvath, A., Mardas, N., Mezzomo, L. A., Needleman, I. G. & Donos, N. (2010) A systematic review of ridge preservation techniques. *Journal of Dental Research* **89** (Special Issue B), 4685.
- Huebsch, R. F. & Hansen, L. S. A. (1969) Histopathologic study of extraction wounds in dogs. *Oral Surgery Oral Medicine Oral Pathology* **28**, 187-196.
- Iasella, J. M., Greenwell, H., Miller, R. L., Hill, M., Drisko, C., Bohra, A. A. & Scheetz, J. P. (2003) Ridge preservation with freeze-dried bone allograft and a collagen membrane compared to extraction alone for implant site development: a clinical and histologic study in humans. *Journal of Periodontology* **74**, 990-999.
- Jahangiri, L., Devlin, H., Ting, K. & Nishimura, I. (1998) Current perspectives in residual ridge remodeling and its clinical implications: a review. *Journal of Prosthetic Dentistry* **80**, 224-237.
- Johnson, K. (1969) A study of the dimensional changes occurring in the maxilla following tooth extraction. *Australian Dental Journal* **14**, 241-244.
- Jung, R. E., Siegenthaler, D. W. & Hämmerle, H. (2004) Postextraction tissue management: a soft tissue punch technique. *International Journal of Periodontics and Restorative Dentistry* **24**, 545-553.
- Kanayama, M., Kuboki, T., Akiyama, K., Nawachi, K., Miyauchi, F. M., Yatani, H., Kubota, S., Nakanishi, T. & Takigawa, M. (2003) Connective tissue growth factor expressed in rat alveolar bone regeneration sites after tooth extraction. *Archives of Oral Biology* **48**, 723-730.
- Kingsmill, V. J. (1999) Post-extraction remodeling of the adult mandible. *Critical Reviews in Oral Biology & Medicine* **10**, 384-404.
- Kuboki, Y., Hashimoto, F. & Ishibashi, K. (1988) Time-dependent changes of collagen crosslinks in the socket after tooth extraction in rabbits. *Journal of Dental Research* **67**, 944-948.
- Lam, R.V. (1960) Contour changes of the alveolar processes following extractions. *Journal of Prosthetic Dentistry* **10**, 25-32.
- Lekovic, V., Camargo, P. M., Klokkevold, P. R., Weinlaender, M., Kenney, E. B., Dimitrijevic, B. & Nedic, M. (1998) Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. *Journal of Periodontology* **69**, 1044-1049.
- Lekovic, V., Kenney, E. B., Weinlaender, M., Han, T., Klokkevold, P., Nedic, M. & Orsini, M. (1997) A bone regenerative approach to alveolar ridge maintenance following tooth extraction. Report of 10 cases. *Journal of Periodontology* **68**, 563-570.
- Lin, W. L., McCulloch, C. A. & Cho, M. I. (1994) Differentiation of periodontal ligament fibroblasts into osteoblasts during socket healing after tooth extraction in the rat. *Anatomical Records* **1240**, 492-506.
- Luczyszyn, S. M., Papalexiou, V., Novaes, A. B. Jr., Grisi, M. F., Souza, S. L. & Taba, M. Jr. (2005) Acellular dermal matrix and hydroxyapatite in prevention of ridge deformities after tooth extraction. *Implant Dentistry* **2005** **14**, 176-84.
- Mardas, N., Chadha, V. & Donos, N. (2010) Alveolar ridge preservation with guided bone regeneration and a synthetic bone substitute or a bovine-derived xenograft: a randomized, controlled clinical trial. *Clinical Oral Implants Research* **21**, 688-698.
- Mardas, N., Kostopoulos, L. & Karring, T. (2002) Bone

- and suture regeneration in calvarial defects by e-PTFE membranes and demineralized bone matrix and the impact on calvarial growth: an experimental study in the rat. *Journal of Craniofacial Surgery* **13**, 453-462.
- Marks, S. C. & Schroeder, H. E. (1996) Tooth eruption: theories and facts. *Anatomical Records* **245**, 374-93.
- Neiva, R. F., Tsao, Y. P., Eber, R., Shotwell, J., Billy, E. & Wang, H. L. (2008) Effects of a putty-form hydroxyapatite matrix combined with the synthetic cell-binding peptide P-15 on alveolar ridge preservation. *Journal of Periodontology* **79**, 291-299.
- Nemcovsky, C. E. & Serfaty, V. (1996) Alveolar ridge preservation following extraction of maxillary anterior teeth. Report on 23 consecutive cases. *Journal of Periodontology* **67**, 390-395.
- Nevins, M., Camelo, M., De, P. S., Friedland, B., Schenk, R. K., Parma-Benfenati, S., Simion, M., Tinti, C. & Wagenberg, B. (2006) A study of the fate of the buccal wall of extraction sockets of teeth with prominent roots. *International Journal of Periodontics and Restorative Dentistry* **26**, 19-29.
- Norton, M. R., Odell, E. W., Thompson, I. D. & Cook, R. J. (2003) Efficacy of bovine bone mineral for alveolar augmentation: a human histologic study. *Clinical Oral Implants Research* **14**, 775-783.
- Norton, M. R. & Wilson, J. (2002) Dental implants placed in extraction sites implanted with bioactive glass: human histology and clinical outcome. *International Journal of Oral & Maxillofacial Implants* **17**, 249-259.
- Pietrokovski J, Massler M. (1967) Alveolar ridge resorption following tooth extraction. *Journal of Prosthetic Dentistry* **17**, 21-7.
- Pinho, M. N., Roriz, V. L., Novaes, A. B., Jr., Taba, M., Jr., Grisi, M. F., de Souza, S. L. & Palioto, D. B. (2006) Titanium membranes in prevention of alveolar collapse after tooth extraction. *Implant Dentistry* **15**, 53-61.
- Quinn, J. H. & Kent, J. N. (1984) Alveolar ridge maintenance with solid nonporous hydroxyapatite root implants. *Oral Surgery, Oral Medicine and Oral Pathology* **58**: 511-521.
- Retzepi, M. & Donos N. (2010) Guided bone regeneration: biological principle and therapeutic applications. *Clinical Oral Implants Research* **21**, 567-576.
- Sato, H. & Takeda, Y. (2007) Proliferative activity, apoptosis, and histogenesis in the early stages of rat tooth extraction wound healing. *Cells, Tissues, Organs* **186**, 104-111.
- Schenk, R. K., Buser, D., Hardwick, W. R. & Dahlin, C. (1994) Healing pattern in membrane protected defects: a histological study in the canine mandible. *The International Journal of Oral & Maxillofacial Implants* **9**, 13-29.
- Schropp, L., Wenzel, A., Kostopoulos, L. & Karring, T. (2003) Bone healing and soft tissue contour changes following single-tooth extraction: a clinical and radiographic 12-month prospective study. *International Journal of Periodontics and Restorative Dentistry* **23**, 313-323.
- Schwarz, F., Wieland, M., Schwartz, Z., Zhao, G., Rupp, F., Geisgerstorfer, J., Schedle, A., Broggin, N., Bornstein, M. M., Buser, D., Ferguson, S. J., Becker, J., Boyan, B. D. & Cochran, D. L. (2009) Potential of chemically modified hydrophilic surface characteristics to support tissue integration of titanium dental implants. *Journal of Biomedical Material Research. Part B, Applied Biomaterials*. **88**, 544-557.
- Sclar A. G. (2004) Strategies for management of single-tooth extraction sites in aesthetic implant therapy. *Journal of Oral and Maxillofacial Surgery* **62** (Suppl. 2), 90-105.
- Serino, G., Rao, W., Iezzi, G. & Piattelli, A. (2008) Polylactide and polyglycolide sponge used in human extraction sockets: bone formation following 3 months after its application. *Clinical Oral Implants Research*. **19**, 26-31.
- Serino, G., Biancu, S., Iezzi, G. & Piattelli, A. (2003). Ridge preservation following tooth extraction using a polylactide and polyglycolide sponge as space filler: a clinical and histological study in humans. *Clinical Oral Implants Research* **14**, 651-668.
- Tallgren A. (1969) Positional changes of complete dentures. A 7-year longitudinal study. *Acta Odontologica Scandinavica* **27**, 539-561.
- Torabinejad, M., Anderson, P., Bader, J., Brown, L. J., Chen, L. H., Goodacre, C. J., Kattadiyil, M. T., Kutsenko, D., Lozada, J., Patel, R., Petersen, F., Puterman, I. & White, S. N. (2007) Outcomes of root canal treatment and restoration, implant-supported single crowns, fixed partial dentures, and extraction without replacement: a systematic review. *Journal of Prosthetic Dentistry* **98**, 285-311.
- Trombelli, L., Farina, R., Marzola, A., Bozzi, L., Liljenberg, B. & Lindhe, J. (2008) Modeling and remodeling of human extraction sockets. *Journal of Clinical Periodontology* **35**, 630-639.
- Van der Weijden, F., Dell'Acqua, F. & Slot, D. E. (2009) Alveolar bone dimensional changes of post-extraction sockets in humans: a systematic review. *Journal of Clinical Periodontology* **36**, 1048-1058.
- Vance, G. S., Greenwell, H., Miller, R. L., Hill, M., Johnston, H. & Scheetz, J. P. (2004) Comparison of an allograft in an experimental putty carrier and a bovine-derived xenograft used in ridge preservation: a clinical and histologic study in humans. *The International Journal of Oral & Maxillofacial Implants* **19**, 491-497.
- Vercellotti T. (2004) Technological characteristics and clinical indications of piezoelectric bone surgery. *Minerva Stomatologica*. **53**, 5-20.
- Watt, D. M. & Likeman, P. R. (1974) Morphological changes in the denture bearing area following the extraction of maxillary teeth. *British Dental Journal* **136**, 225-235.
- Yilmaz, S., Efeoglu, E. & Kilic, A. R. (1998) Alveolar ridge reconstruction and/or preservation using root form bioglass cones. *Journal of Clinical Periodontology* **25**, 832-839.
- Zubillaga, G., Von, H. S., Simon, B. I. & Deasy, M. J. (2003) Changes in alveolar bone height and width following post-extraction ridge augmentation using a fixed bioabsorbable membrane and demineralized freeze-dried bone osteoinductive graft. *Journal of Periodontology* **74**, 965-975.

**Επικοινωνία:** Νίκος Μάρδας, Μονάδα Περιοδοντολογίας, UCL Οδοντιατρικό Ινστιτούτο Eastman, 256 Gray's Inn Road, Λονδίνο WC1X8LD, Ηνωμένο Βασίλειο, Τηλ: +44(20) 7915 2379, Fax: +44(20) 7915 1137, e-mail: n.mardas@eastman.ucl.ac.uk

**Correspondence:** Dr. Nikos Mardas, Periodontology Unit, UCL Eastman Dental Institute, 256 Gray's Inn Road, London, WC1X8LD, United Kingdom, Tel: +44(20) 7915 2379, Fax: +44(20) 7915 1137, e-mail: n.mardas@eastman.ucl.ac.uk