

Βιβλιογραφία - References

- Absi, E. G., Addy, M. & Adams, D. (1987) Dentin hypersensitivity: A study of the patency of dentinal tubules in sensitive and non-sensitive cervical dentine. *Journal of Clinical Periodontology* **14**, 280-284.
- Absi, E. G., Addy, M. & Adams, D. (1989) Dentine hypersensitivity: The development and evaluation of a replica technique to study sensitive and non-sensitive cervical dentine. *Journal of Clinical Periodontology* **16**, 190-195.
- Addy, M. (2002) Dentine hypersensitivity: New perspectives on an old problem. *International Dental Journal* **52** (Suppl. 1), 367-375.
- Ayad, F., Berta, R., DeVizio, W., McCool, J., Petrone, M. E. & Volpe, A. R. (1994) Comparative efficacy of two dentifrices containing 5% potassium nitrate on dentinal sensitivity: A twelve-week clinical study. *Journal of Clinical Dentistry* **5** (Suppl.), 97-101.
- Ayad, F., Ayad, N., Zhang, Y. P., DeVizio, W., Cummins, D. & Mateo, L. R. (2009a) Comparing the efficacy in reducing dentin hypersensitivity of a new toothpaste containing 8.0% arginine, calcium carbonate, and 1450 ppm fluoride to a commercial sensitive toothpaste containing 2% potassium ion: An eight-week clinical study on Canadian adults. *Journal of Clinical Dentistry* **20** (Suppl. 1), 10-16.
- Ayad, F., Ayad, N., Delgado, E., Zhang, Y. P., DeVizio, W., Cummins, D. & Mateo, L. R. (2009b) Comparing the efficacy in providing instant relief of dentin hypersensitivity of a new toothpaste containing 8.0% arginine, calcium carbonate, and 1450 ppm fluoride to a benchmark desensitizing toothpaste containing 2% potassium ion and 1450 ppm fluoride, and to a control toothpaste with 1450 ppm fluoride: A three-day clinical study in Mississauga, Canada. *Journal of Clinical Dentistry* **20** (Suppl. 4), 115-122.
- Blong, M. A., Volding, B., Thrash, W. J. & Jones, D. L. (1985) Effects of a gel containing 0.4 percent stannous fluoride on dentinal hypersensitivity. *Dental Hygiene (Chicago)* **59**, 489-492.
- Brännström, M. (1992) Etiology of dentin hypersensitivity. *Proceedings of Finnish Dental Society* **88** (Suppl. 1), 7-13.
- Canadian Advisory Board on Dentin Hypersensitivity. (2003) Consensus-based recommendations for the diagnosis and management of dentin hypersensitivity. *Journal of Canadian Dental Association* **69**, 221-226.
- Chatterjee, R. & Kleinberg, I. (1979) Aggregation of salivary proteins, *Saliva and Dental Caries*. Editors: Kleinberg, I., Ellison, S. A. & Mandel, I. D., Information Retrieval Press, New York, USA, pp. 155-173.
- Chesters, R., Kaufman, H. W., Wolff, M. S., Huntington, E. & Kleinberg, I. (1992) Use of multiple sensitivity measurements and logit statistical analysis to assess the effectiveness of a potassium citrate-containing dentifrice in reducing dentinal hypersensitivity. *Journal of Clinical Periodontology* **19**, 256-261.
- Cummins, D. (2009) Dentin hypersensitivity: From diagnosis to a breakthrough therapy for everyday sensitivity relief. *Journal of Clinical Dentistry* **20** (Suppl. 1), 1-9.
- Cummins, D. (2010) Recent advances in dentin hypersensitivity: Clinically proven treatments for instant and lasting sensitivity relief. *American Journal of Dentistry* **23** (Suppl. A), A:3A-13A.
- Dababneh, R. H., Khouri, A. T. & Addy, M. (1999) Dentine hypersensitivity—An enigma? A review of terminology, epidemiology, mechanisms, aetiology and management. *British Dental Journal* **187**, 606-611.
- Docimo, R., Montesani, L., Maturo, P., Costacurta, M., Bartolino, M., DeVizio, W., Zhang, Y. P., Cummins, D., Dibart, S. & Mateo, L. R. (2009a) Comparing the efficacy in reducing dentin hypersensitivity of a new toothpaste containing 8.0% arginine, calcium carbonate, and 1450 ppm fluoride to a commercial sensitive toothpaste containing 2% potassium ion: An eight-week clinical study in Rome, Italy. *Journal of Clinical Dentistry* **20** (Suppl. 1), 17-22.
- Docimo, R., Montesani, L., Maturo, P., Costacurta, M., Bartolino, M., Zhang, Y. P., DeVizio, W., Delgado, E., Cummins, D., Dibart, S. & Mateo, L. R. (2009b) Comparing the efficacy in reducing dentin hypersensitivity of a new toothpaste containing 8.0% arginine, calcium carbonate, and 1450 ppm fluoride to a benchmark commercial desensitizing toothpaste containing 2% potassium ion: An eight-week clinical study in Rome, Italy. *Journal of Clinical Dentistry* **20** (Suppl. 4), 137-143.
- Drisko, C. H. (2002) Dentine hypersensitivity—Dental hygiene and periodontal considerations. *International Dental Journal* **52**, 385-393.
- Fu, Y., Li, X., Que, K., Wang, M., Hu, D., Mateo, L. R., DeVizio, W. & Zhang, Y. P. (2010) Instant dentin hypersensitivity relief of a new desensitizing dentifrice containing 8.0% arginine, a high cleaning calcium carbonate system and 1450 ppm fluoride: A 3-day clinical study in Chengdu, China. *American Journal of Dentistry* **23** (Suppl. A), 20A-27A.
- Gaffar, A. (1988) Treating hypersensitivity with fluoride varnishes. *Compendium of Continuous Education in Dentistry* **19**, 1088-1097.
- García-Godoy, F., García-Godoy, A. & García-Godoy, C. (2009) Effect of a desensitizing paste containing 8% arginine and calcium carbonate on the surface roughness of dental materials and human dental enamel. *American Journal of Dentistry* **22** (Suppl. A), 21A-24A.
- García-Godoy, A. and García-Godoy F. M. (2010) Effect of an 8.0% arginine and calcium carbonate in-office desensitizing paste on the shear bond strength of composites to human dental enamel. *American Journal of Dentistry* **23**, 324-326.
- Gillam, D. G., Bulman, J. S., Jackson, R. L. & Newman, H. N. (1996) Comparison of 2 desensitizing dentifrices with a commercially available fluoride dentifrice in alleviating cervical dentine sensitivity. *Journal of Periodontology* **67**, 737-742.
- Hamlin, D., Williams, K. P., Delgado, E., Zhang, Y. P., DeVizio, W. & Mateo, L. R. (2009) Clinical evaluation of the efficacy of a desensitizing paste containing 8% arginine and calcium carbonate for the in-office relief of dentin hypersensitivity associated with dental prophylaxis. *American Journal of Dentistry* **22** (Suppl. A), 16A-20A.
- Hodosh, M. (1974) A superior desensitizer—Potassium nitrate. *Journal of American Dental Association* **88**, 831-832.
- Hu, D., Zhang, Y. P., Chaknis, P., Petrone, M. E., Volpe, A. R. & DeVizio, W. (2004) Comparative investigation of the desensitizing efficacy of a new dentifrice containing 5.5% potassium-citrate: An eight-week clinical study. *Journal of Clinical Dentistry* **15**, 6-10.
- Kanapka, J. A. (1982) Current treatment for dentinal hypersensitivity. A new agent. *Compendium of Continuing Education in Dentistry*, S118-S120.
- Kleinberg, I., Kaufman, H. W. & Wolff, M. S. (1994). Measurement of tooth hypersensitivity and oral factors involved in its development. *Archives of Oral Biology* **39** (Suppl.), 635-715.
- Kleinberg, I. (2002) Sensistat. A new saliva-based composition

- for simple and effective treatment of dentinal sensitivity pain. *Dentistry Today* **21**, 42-7.
- Manochehr-Pour, M., Bhat, M. & Bissada, N. (1984) Clinical evaluation of two potassium nitrate toothpastes for the treatment of dentinal hypersensitivity. *Periodontal Case Reports* **6**, 25-30.
- Markowitz, K. & Kim, S. (1992) The role of selected cations in the desensitization of intradental nerves. *Proceedings of Finnish Dental Society* **88** (Suppl. 1), 39-54.
- Markowitz, K. & Pashley, D. H. (2007) Discovering new treatments for sensitive teeth: The long path from biology to therapy. *Journal of Oral Rehabilitation* **35**, 300-315.
- Miller, S., Truong, T., Heu, R., Stranick, M., Bouchard, D. & Gaffar, A. (1994) Recent advances in stannous fluoride technology: Antibacterial efficacy and mechanism of action towards hypersensitivity *International Dental Journal* **44** (Suppl. 1), 83-98.
- Nagata, T., Ishida, H., Shinohara, H., Nishikawa, S., Kasahara, S., Wakano, Y., Daigen, S. & Troullos, E. S. (1994) Clinical evaluation of a potassium nitrate dentifrice for the treatment of dentinal hypersensitivity. *Journal of Clinical Periodontology* **21**, 217-221.
- Nathoo, S., Delgado, E., Zhang, Y. P., DeVizio, W., Cummins, D. & Mateo, L. R. (2009) Comparing the efficacy in providing instant relief of dentin hypersensitivity of a new toothpaste containing 8.0% arginine, calcium carbonate, and 1450 ppm fluoride relative to a benchmark desensitizing toothpaste containing 2% potassium ion and 1450 ppm fluoride, and a control toothpaste with 1450 ppm fluoride: A three-day clinical study in New Jersey, USA. *Journal of Clinical Dentistry* **20**, 123-130.
- Orchardson, R. & Gillam, D. G. (2000) The efficacy of potassium salts as agents for treating dentin hypersensitivity. *Journal of Orofacial Pain* **14**, 9-19.
- Orchardson, R. & Gillam, D. G. (2006) Managing dentin hypersensitivity. *Journal of the American Dental Association* **137**, 990-998.
- Papas, A. S. & Clark, R. E. (1995) Accrued desensitization with repeated Duraphat treatment of hypersensitivity. *Journal of Dental Research* **74**, 134-139.
- Pashley, D. H., Tay, F. R., Haywood, V. B., Collins, M. C. & Drisko, C. L. (2008) Dentin hypersensitivity: Consensus-based recommendations for the diagnosis and management of dentin hypersensitivity. *Inside Dentistry* **4** (Suppl. 9), 1-35.
- Petrou, I., Heu, R., Stranick, M., Lavender, S., Zaidel, L., Cummins, D., Sullivan, R. J., Hsueh, C. & Gimzewski, J. K. (2009) A breakthrough therapy for dentin hypersensitivity: How dental products containing 8% arginine and calcium carbonate work to deliver effective relief of sensitive teeth. *Journal of Clinical Dentistry* **20** (Suppl. 1), 23-31.
- Poulsen, S., Errboe, M., Lescay Mevil, Y. & Glenny, A. M. (2006) Potassium containing toothpastes for dentine hypersensitivity. *Cochrane Database Systematic Reviews* **3** CD001476.
- Que, K., Fu, Y., Lin, L., Hu, D., Zhang, Y. P., Panagakos, F. S., DeVizio, W. & Mateo, L. R. (2010) Dentin hypersensitivity reduction of a new toothpaste containing 8.0% arginine and 1450 ppm fluoride: an 8-week clinical study on Chinese adults. *American Journal of Dentistry* **23** (Suppl. A), 28A-35A.
- Salvato, A. R., Clark, G. E., Gingold, J. & Curro, F. A. (1992) Clinical effectiveness of a dentifrice containing potassium chloride as a desensitizing agent. *American Journal of Dentistry* **5**, 303-306.
- Schiff, T., Dotson, M., Cohen, S., DeVizio, W., McCool, J. & Volpe, A. (1994) Efficacy of a dentifrice containing potassium nitrate, soluble pyrophosphate, PVM/MA copolymer, and sodium fluoride on dentinal hypersensitivity: A twelve week clinical study. *Journal of Clinical Dentistry* **5** (Suppl.), 87-92.
- Schiff, T., Dos Santos, M., Laffi, S., Yoshioka, M., Baines, E., Brasil, K. D., McCool, J. J. & DeVizio, W. (1998) Efficacy of a dentifrice containing 5% potassium nitrate and 1500 ppm sodium monofluorophosphate in a precipitated calcium carbonate base on dentinal hypersensitivity. *Journal of Clinical Dentistry* **9**, 22-25.
- Schiff, T., Saletta, L., Baker, R. A., Winston, J. L. & He, T. (2005) Desensitizing effect of a stabilized stannous fluoride/sodium hexametaphosphate dentifrice. *Compendium of Continuing Education in Dentistry* **26** (Suppl. 1), 35-40.
- Schiff, T., Delgado, E., Zhang, Y. P., DeVizio, W., Cummins, D. & Mateo, L. R. (2009a) The clinical effect of a single direct topical application of a dentifrice containing 8.0% arginine, calcium carbonate, and 1450 ppm fluoride on dentin hypersensitivity: The use of a cotton swab applicator versus the use of a fingertip. *Journal of Clinical Dentistry* **20**, 131-136.
- Schiff, T., Delgado, E., Zhang, Y. P., DeVizio, W. & Mateo, L. R. (2009b) Clinical evaluation of the efficacy of a desensitizing paste containing 8% arginine and calcium carbonate in providing instant and lasting in-office relief of dentin hypersensitivity. *American Journal of Dentistry* **22** (Suppl. A), 8A-15A.
- Silverman, G. (1985) The sensitivity-reducing effect of brushing with a potassium nitrate-sodium monofluorophosphate dentifrice. *Compendium of Continuing Education in Dentistry* **6**, 131-136.
- Silverman, G., Gingold, J. & Curro, F. A. (1994) Desensitizing effect of a potassium chloride dentifrice. *American Journal of Dentistry* **7**, 9-12.
- Silverman, G., Berman, E., Hanna, C. B., Salvato, A., Fratarcangelo, P. A., Bartizek, R.D., Bollmer, B. W., Campbell, S. L., Lanzalaco, A. C., MacKay, B. J., McClanahan, S. F., Perlich, M. A. & Shaffer, J. B. (1996) Assessing the efficacy of three dentifrices in the treatment of dentinal hypersensitivity. *Journal of American Dental Association* **127**, 191-201.
- Tarbet, W. J., Silverman, G., Stolman, J. M. & Fratarcangelo, P. A. (1980) Clinical evaluation of a new treatment for dentinal hypersensitivity. *Journal of Periodontology* **51**, 535-540.
- Tarbet, W. J., Silverman, G., Fratarcangelo, P. A. & Kanapka, J. A. (1982) Home treatment for dentinal hypersensitivity: A comparative study. *Journal of American Dental Association* **105**, 227-230.
- Thrash, W. J., Dodds, M. W. & Jones, D. L. (1994) The effect of stannous fluoride on dentinal hypersensitivity. *International Dental Journal* **44** (Suppl. 1), 107-118.
- Walters, P. A. (2005) Dentinal hypersensitivity: A review. *Journal of Contemporary Dental Practice* **6**, 107-117.
- Wara-aswapati, N., Kringnawakul, D., Jiraviboon, D., Adulyanon, S., Karimbux, N. & Pitiphat, W. (2005) The effect of a new toothpaste containing potassium nitrate and triclosan on gingival health, plaque formation and dentine hypersensitivity. *Journal of Clinical Periodontology* **32**, 553-558.
- West, N. X., Addy, M., Jackson, R. J. & Ridge, D. B. (1997) Dentine hypersensitivity and the placebo response. A comparison of the effect of strontium acetate, potassium nitrate and fluoride toothpastes. *Journal of Clinical Periodontology* **24**, 209-215.

West, N. X. (2006) Dentine hypersensitivity. *Monographs in Oral Science* **20**, 173-189.

Wijeyeweera, R. & Kleinberg, I. (1989) Arginolytic and ureolytic activities of pure cultures of bacteria and their effects on pH response of salivary sediment and dental plaque in vitro. *Archives of Oral Biology* **34**, 43-53.

Zero, D.T. & Lussi, A. (2000) Etiology of enamel erosion—Intrinsic and extrinsic factors, *Tooth Wear and Sensitivity*. Editors: Addy, M., Embery, G., Edgar, W. M. & Orchardson, R., Martin Dunitz, London, UK, pp. 121-139.

Zero, D. T. & Lussi, A. (2005) Erosion – Chemical and biological

factors of importance to the dental practitioner. *International Dental Journal* **55** (Suppl. 1), 285-290.

Επικοινωνία: Κατερίνα Σολωμού, Αθηνών 89, 185 41 Πειραιάς, Ελλάδα, Τηλ: +30 210-4895339, Fax: +30 210-4895458, e-mail: Katerina_Solomou@colpal.com

Correspondence: Katerina Solomou, Athinon 89, 185 41 Piraeus, Greece, Tel: +30 210-4895339, Fax: +30 210-4895458, e-mail: Katerina_Solomou@colpal.com