

Βιβλιογραφία - References

- Akagawa, Y., Sato, Y., Teixeira, E. R., Shindoi, N. & Wadamoto, M. (2003) A mimic osseointegrated implant model for three-dimensional finite element analysis. *Journal of Oral Rehabilitation* **30**, 41-45.
- Aloise, J. P., Curcio, R., Laporta, M. Z., Rossi, L., da Silva, A. M. & Rapoport, A. (2010) Microbial leakage through the implant-abutment interface of Morse taper implants in vitro. *Clinical Oral Implants Research* **21**, 328-335.
- Astrand, P., Ahlqvist, J., Gunne, J. & Nilson, H. (2008) Implant treatment of patients with edentulous jaws: a 20-year follow-up. *Clinical Implant Dentistry and Related Research* **10**, 207-217.
- Atieh, M. A., Ibrahim, H. M. & Atieh, A. H. (2010) Platform switching for marginal bone preservation around dental implants: a systematic review and meta-analysis. *Journal of Periodontology* **81**, 1350-1366.
- Becker, J., Ferrari, D., Herten, M., Kirsch, A., Schaer A. & Schwarz F. (2007) Influence of platform switching on crestal bone changes at non-submerged titanium implants: a histomorphometrical study in dogs. *Journal of Clinical Periodontology* **34**, 1089-1096.
- Becker, J., Ferrari, D., Mihatovic, I., Sahm, N., Schaer, A. & Schwarz, F. (2009) Stability of crestal bone level at platform-switched non-submerged titanium implants: a histomorphometrical study in dogs. *Journal of Clinical Periodontology* **36**, 532-539.
- Berglundh, T., Abrahamsson, I., Lang, N. P. & Lindhe J. (2003) De novo alveolar bone formation adjacent to endosseous implants. *Clinical Oral Implants Research* **14**, 251-262.
- Canullo, L., Goglia, G., Iurlaro, G. & Iannello, G. (2009a) Short-term bone level observations associated with platform switching in immediately placed and restored single maxillary implants: a preliminary report. *The International Journal of Prosthodontics* **22**, 277-282.
- Canullo, L., Iurlaro, G. & Iannello, G. (2009b) Double-blind randomized controlled trial study on post-extraction immediately restored implants using the switching platform concept: soft tissue response. Preliminary report. *Clinical Oral Implants Research* **20**, 414-420.
- Cappiello, M., Luongo, R., Di Iorio, D., Bugea C., Cocchetto, R. & Celletti, R. (2008) Evaluation of peri-implant bone loss around platform-switched implants. *The International Journal of Periodontics & Restorative Dentistry* **28**, 347-355.
- Cochran, D. L., Nummikoski, P. V., Schoolfield, J. D., Jones, A. A. & Oates, T. W. (2009) A prospective multicenter 5-year radiographic evaluation of crestal bone levels over time in 596 dental implants placed in 192 patients. *Journal of Periodontology* **80**, 725-733.
- Crespi, R., Capparè, P. & Gherlone, E. (2009) Radiographic evaluation of marginal bone levels around platform-switched and non-platform-switched implants used in an immediate loading protocol *The International Journal of Oral & Maxillofacial Implants* **24**, 920-926.
- Donovan, R., Fetner, A., Koutouzis, T. & Lundgren, T. (2010) Crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: a 1-year radiographic evaluation. *Journal of Periodontology* **81**, 428-434.
- Fickl, S., Zuhr, O., Stein, J. M. & Hürzeler, M. B. (2010) Peri-implant bone level around implants with platform-switched abutments. *The International Journal of Oral & Maxillofacial Implants* **25**, 577-581.
- Hansson S. (2003) A conical implant-abutment interface at the level of the marginal bone improves the distribution of stresses in the supporting bone. An axisymmetric finite element analysis. *Clinical Oral Implants Research* **14**(3), 286-293.
- Huiskes, R., Ruimerman, R., van Lenthe, G. H. & Janssen, D. (2000) Effects of mechanical forces on maintenance and adaptation of form in trabecular bone. *Nature* **405**, 704-706.
- King, G. N., Hermann, J. S., Schoolfield, J. D., Buser, D. & Cochran, D. L. (2002) Influence of the size of the microgap on crestal bone levels in non-submerged dental implants: a radiographic study in the canine mandible. *Journal of Periodontology* **73**, 1111-1117.
- Laurell, L. & Lundgren, D. (2011) Marginal bone level changes at dental implants after 5 years in function: A meta-analysis. *Clinical Implant Dentistry and Related Research* **13**, 19-28.
- Lazzara, R. J. & Porter, S. S. (2006) Platform switching: a new concept in implant dentistry for controlling postrestorative crestal bone levels. *The International Journal of Periodontics & Restorative Dentistry* **26**, 9-17.
- López-Marí, L., Calvo-Guirado, J. L., Martín-Castellote, B., Gomez-Moreno, G. & López-Marí, M. (2009) Implant platform switching concept: an updated review. *Medicina Oral, Patología Oral y Cirugía Bucal* **14**, e450-454.
- Maeda, Y., Miura, J., Taki, I. & Sogo, M. (2007) Biomechanical analysis on platform switching: is there any biomechanical rationale? *Clinical Oral Implants Research* **18**, 581-584.
- Petrie, C. S. & Williams, J. L. (2005) Comparative evaluation of implant designs: influence of diameter, length, and taper on strains in the alveolar crest. A three-dimensional finite-element analysis. *Clinical Oral Implants Research* **16**, 486-494.
- Piattelli, A., Vrespa, G., Petrone, G., Iezzi, G., Annibali, S. & Scarano, A. (2003) Role of the microgap between implant and abutment: a retrospective histologic evaluation in monkeys. *Journal of Periodontology* **74**, 346-352.
- Prosper, L., Redaelli, S., Pasi, M., Zarone, F., Radaelli, G. & Gherlone, E. F. (2009) A randomized prospective multicenter trial evaluating the platform-switching technique for the prevention of postrestorative crestal bone loss. *The International Journal of Oral & Maxillofacial Implants* **24**, 299-308.
- Ruimerman, R., Hilbers, P., van Rietbergen, B. & Huiskes, R. (2005) A theoretical framework for strain-related trabecular bone maintenance and adaptation. *Journal of Biomechanics* **38**, 931-941.
- Trimou, G., Weigl, P., Krebs, M., Parvini, P. & Nentwig, G. H. (2010) Rationale for esthetic tissue preservation of a fresh extraction socket by an implant treatment concept simulating a tooth replantation. *Dental Traumatology* **26**, 105-111.
- Weng, D., Nagata, M. J., Bell, M., Bosco, A. F., de Melo, L. G., Richter, E. J. (2008) Influence of microgap location and configuration on the periimplant bone morphology in submerged implants. An experimental study in dogs. *Clinical Oral Implants Research* **19**, 1141-1147.
- Zipprich, H., Weigl, P., Lange, B. & Lauer, H. C. (2007) Micromovements at the implant-abutment interface: measurement, causes, and consequences (in German). *Implantologie* **15**, 31-46.

Επικοινωνία: Dr. Paul Weigl, Τμήμα Προσθετικής, Οδοντιατρική Σχολή, Πανεπιστήμιο Goethe, Theodor-Stern-Kai 7, 60590, Φρανκφούρτη, Γερμανία, Τηλ: +49 69 6301 4288, e-mail: weigl@em.uni-frankfurt.de

Correspondence: Dr. Paul Weigl, Department of Prosthodontics, School of Dentistry, Goethe-University Frankfurt am Main, Theodor-Stern-Kai 7, 60590, Frankfurt/Main, Germany, Tel: +49 69 6301 4288, e-mail: weigl@em.uni-frankfurt.de