

Βιβλιογραφία - References

- Amler MH, Johnson PL & Salman I. (1960) Histological and histochemical investigation of human alveolar socket healing in undisturbed extraction wounds. *Journal of American Dental Association* **61**, 32-44.
- Anitua E. (1999) Plasma rich in growth factors: preliminary results of use in the preparation of future sites for implants. *International Journal of Oral and Maxillofacial Implants* **4**, 529-535.
- Anitua E., Orive G & Andia I. (2006) Use of PRGF to accelerate bone and soft tissue regeneration in postextraction sites. *Dental Dialogue* **1**, 1-14.
- Araujo MG & Lindhe J. (2005) Dimensional ridge alterations following tooth extraction. An experimental study in the dog. *Journal of Clinical Periodontology* **32**, 212-218.
- Araujo MG & Lindhe J. (2009) Ridge preservation with the use of Bio-Oss collagen: A 6-month study in the dog. *Clinical Oral Implants Research* **5**, 433-440.
- Araujo MG & Lindhe J. (2011) Socket grafting with the use of autologous bone: an experimental study in the dog. *Clinical Oral Implants Research* **22**, 9-13.
- Araujo MG, Linder E, Wennström J & Lindhe J. (2008) The influence of Bio-Oss Collagen on healing of an extraction socket: an experimental study in the dog. *International Journal of Periodontics and Restorative Dentistry* **2**, 123-135.
- Araujo MG, Sukekava F, Wennström JL & Lindhe J. (2005) Ridge alterations following implant placement in fresh extraction sockets: an experimental study in the dog. *Journal of Clinical Periodontology* **32**, 645-652.
- Arora NS, Ramanayake T, Ren YF & Romanos GE. (2010) Platelet-rich plasma in sinus augmentation procedures: a systematic literature review: Part II. *Implant Dentistry* **2**, 145-157.
- Artzi Z, Tal H & Dayan D. (2000) Porous bovine bone mineral in healing of human extraction sockets. Part I: histomorphometric evaluations at 9 months. *Journal of Periodontology* **6**, 1015-1023.
- Atwood DA. (1971) Reduction of residual ridges: a major oral disease entity. *Journal of Prosthetic Dentistry* **3**, 266-279.
- Avila-Ortiz G, Elangovan S, Kramer KW, Blanchette D & Dawson DV. (2014) Effect of alveolar ridge preservation after tooth extraction: a systematic review and meta-analysis. *Journal of Dental Research* **10**, 950-958.
- Barone A, Aldini NN, Fini M, Giardino R, Calvo Guirado JL & Covani U. (2008) Xenograft versus extraction alone for ridge preservation after tooth removal: a clinical and histomorphometric study. *Journal of Periodontology* **8**, 1370-1377.
- Becker BE, Becker W, Ricci A & Geurs N. (1998) A prospective clinical trial of endosseous screw-shaped implants placed at the time of tooth extraction without augmentation. *Journal of Periodontology* **8**, 920-926.
- Becker W, Hujuel P & Becker BE. (2002) Effect of barrier membranes and autologous bone grafts on ridge width preservation around implants. *Clinical Implant Dentistry and Relative Research* **3**, 143-149.
- Botticelli D, Berglundh T & Lindhe J. (2004) Resolution of bone defects of varying dimension and configuration in the marginal portion of the peri-implant bone. An experimental study in the dog. *Journal of Clinical Periodontology* **4**, 309-317.
- Breitbart AS, Staffenberg DA, Thorne CH, Glat PM, Cunningham NS, Reddi AH, Ricci J & Steiner G. (1995) Tricalcium phosphate and osteogenin: a bioactive onlay bone graft substitute. *Plastic Reconstructive Surgery* **3**, 699-708.
- Brkovic BM, Prasad HS, Konandreas G, Milan R, Antunovic D, Sándor GK & Rohrer MD. (2008) Simple preservation of a maxillary extraction socket using beta-tricalcium phosphate with type I collagen: preliminary clinical and histomorphometric observations. *Journal of Canadian Dental Association* **6**, 523-528.
- Brunel G, Brocard D, Duffort JF, Jacquet E, Justumus P, Simonet T & Benque E. (2001) Bioabsorbable materials for guided bone regeneration prior to implant placement and 7-year follow-up: report of 14 cases. *Journal of Periodontology* **72**, 257-264.
- Burchardt H. (1987) Biology of bone transplantation. *Orthopedic Clinical of North America* **2**, 187-196.
- Cardaropoli D. (2009) Vertical ridge augmentation with the use of recombinant human platelet-derived growth factor-BB and bovine bone mineral: a case report. *International Journal of Periodontics and Restorative Dentistry* **3**, 289-295.
- Cardaropoli G, Araujo M & Lindhe J. (2003) Dynamics of bone tissue formation in tooth extraction sites. An experimental study in dogs. *Journal of Clinical Periodontology* **9**, 809-818.
- Carlsson GE & Persson G. (1967) Morphologic changes of the mandible after extraction and wearing of dentures. A longitudinal, clinical, and x-ray cephalometric study covering 5 years. *Odontology Revy* **1**, 27-54.
- Carmagnola D, Adriaens P & Berglundh T. (2003) Healing of human extraction sockets filled with Bio-Oss. *Clinical Oral Implants Research* **2**, 137-143.
- Centrella M, McCarthy TL, Kusmik WF & Canalis E. (1991) Relative binding and biochemical effects of heterodimeric and homodimeric isoforms of platelet-derived growth factor in osteoblast-enriched cultures from fetal rat bone. *Journal of Cell Physiology* **3**, 420-426.
- Chen ST, Wilson TG Jr & Hämmerle CH. (2004) Immediate or early placement of implants following tooth extraction: review of biologic basis, clinical procedures, and outcomes. *International Journal of Oral and Maxillofacial Implants* **19**, 12-25.

- Clergeau LP, Danan M, Clergeau-Guéritault S & Brion M (1996) Healing response to anorganic bone implantation in periodontal intrabony defects in dogs. Part I. Bone regeneration. *A microradiographic study. Journal of Periodontology* **67**, 140-149.
- Eskan MA, Greenwell H, Hill M, Morton D, Vidal R, Shumway B & Girouard ME. (2014) Platelet-rich plasma-assisted guided bone regeneration for ridge augmentation: a randomized, controlled clinical trial. *Journal of Periodontology* **5**, 661-668.
- Esposito M, Grusovin MG, Rees J, Karasoulos D, Felice P, Alissa R, Worthington HV & Coulthard P. (2010) Interventions for replacing missing teeth: augmentation procedures of the maxillary sinus. *Cochrane Database Systematic Review* **3**, 83-97.
- Farina R, Bressan E, Taut A, Cucchi A & Trombelli L. (2013) Plasma rich in growth factors in human extraction sockets: a radiographic and histomorphometric study on early bone deposition. *Clinical Oral Implants Research* **12**, 1360-1368.
- Fickl S, Zuhr O, Wachtel H, Bolz W & Huerzeler M. (2008) Tissue alterations after tooth extraction with and without surgical trauma: a volumetric study in the beagle dog. *Journal of Clinical Periodontology* **4**, 356-363.
- Fickl S, Zuhr O, Wachtel H, Stappert CF, Stein JM & Hürzeler MB. (2008) Dimensional changes of the alveolar ridge contour after different socket preservation techniques. *Journal of Clinical Periodontology* **10**, 906-913.
- Fiorellini JP, Howell TH, Cochran D, Malmquist J, Lilly LC, Spagnoli D, Toljanic J, Jones A & Nevins M. (2005) Randomized study evaluating recombinant human bone morphogenetic protein-2 for extraction socket augmentation. *Journal of Periodontology* **2005** **4**, 605-613.
- Gholami GA, Najafi B, Mashhadiabbas F, Goetz W & Najafi S. (2012) Clinical, histologic and histomorphometric evaluation of socket preservation using a synthetic nanocrystalline hydroxyapatite in comparison with a bovine xenograft: a randomized clinical trial. *Clinical Oral Implants Research* **23**, 1198-1204.
- Goldberg VM & Stevenson S. (1987) Natural history of autografts and allografts. *Clinical Orthopedic and Relative Research* **225**, 7-16.
- Hämmerle CH, Chen ST & Wilson TG Jr. (2004) Consensus statements and recommended clinical procedures regarding the placement of implants in extraction sockets. *International Journal of Oral and Maxillofacial Implants* **19**, 26-28.
- Hong J-Y, Lee J-S, Pang E-K, Jung U-W, Choi S-H & Kim C-K. (2014) Impact of different synthetic bone fillers on healing of extraction sockets: an experimental study in dogs. *Clinical Oral Implants Research* **25**, 30-37
- Horowitz RA, Mazor Z, Miller RJ, Krauser J, Prasad HS & Rohrer MD. (2009) Clinical evaluation alveolar ridge preservation with a beta-tricalcium phosphate socket graft. *Compendium of Continuing Education in Dentistry* **9**, 588-594.
- Iasella JM, Greenwell H, Miller RL, Hill M, Drisko C, Bohra AA & Scheetz JP. (2003) Ridge preservation with freeze-dried bone allograft and a collagen membrane compared to extraction alone for implant site development: a clinical and histologic study in humans. *Journal of Periodontology* **7**, 990-999.
- Jahangiri L, Devlin H, Ting K & Nishimura I. (1998) Current perspectives in residual ridge remodeling and its clinical implications: a review. *Journal of Prosthetic Dentistry* **2**, 224-237.
- Johnson K. (1969) A study of the dimensional changes occurring in the maxilla following closed face immediate denture treatment. *Australian Dental Journal* **6**, 370-376.
- Jung RE, Philipp A, Annen BM, Signorelli L, Thoma DS, Hämmerle CH, Attin T & Schmidlin P. (2013) Radiographic evaluation of different techniques for ridge preservation after tooth extraction: a randomized controlled clinical trial. *Journal of Clinical Periodontology* **1**, 90-98.
- Karaca Ç, Er N, Gülşahi A & Köseoğlu OT. (2015) Alveolar ridge preservation with a free gingival graft in the anterior maxilla: volumetric evaluation in a randomized clinical trial. *International Journal of Oral and Maxillofacial Surgery* **15**, 22-3.
- Kassolis JD, Scheper M, Jham B & Reynolds MA. (2010) Histopathologic findings in bone from edentulous alveolar ridges: a role in osteonecrosis of the jaws? *Bone* **1**, 127-130.
- Kutkut A, Andreana S, Kim HL & Monaco E Jr. (2012) Extraction socket preservation graft before implant placement with calcium sulfate hemihydrate and platelet-rich plasma: a clinical and histomorphometric study in humans. *Journal of Periodontology* **4**, 401-409.
- Lang NP, Pun L, Yee Lau K, Yan Li K & Wong M CM. (2012) A systematic review on survival and success rates of implants placed immediately into fresh extraction sockets after at least 1 year. *Clinical Oral Implants Research* **23**, 39-66.
- Lekovic V, Kenney EB, Weinlaender M, Han T, Klokkevold P, Nedic M & Orsini M. (1997) A bone regenerative approach to alveolar ridge maintenance following tooth extraction. Report of 10 cases. *Journal of Periodontology* **6**, 563-570.
- Lin WL, McCulloch CA & Cho MI. (1994) Differentiation of periodontal ligament fibroblasts into osteoblasts during socket healing after tooth extraction in the rat. *Anatomical Record* **4**, 492-506.
- Lindhe J, Araújo MG, Bülfer M & Liljenberg B. (2013) Biphasic alloplastic graft used to preserve the dimension of the edentulous ridge: an experimental study in the dog. *Clinical Oral Implants Research*. **24**, 1158-1163.

- Lynch SE, de Castilla GR, Williams RC, Kiritsy CP, Howell TH, Reddy MS & Antoniadis HN. (1991) The effects of short-term application of a combination of platelet-derived and insulin-like growth factors on periodontal wound healing. *Journal of Periodontology* **7**, 458-467.
- Lynch SE, Wisner-Lynch L, Nevins M & Nevins ML. (2006) A new era in periodontal and periimplant regeneration: use of growth-factor enhanced matrices incorporating rhPDGF. *Compendium of Continuing Education in Dentistry* **12**, 672-678.
- Mardas N, Chadha V & Donos N. (2010) Alveolar ridge preservation with guided bone regeneration and a synthetic bone substitute or a bovine-derived xenograft: a randomized, controlled clinical trial. *Clinical Oral Implants Research* **21**, 688-698.
- Marx RE, Carlson ER, Eichstaedt RM, Schimmele SR, Strauss JE & Georgeff KR (1998) Platelet-rich plasma: Growth factor enhancement for bone grafts. *Oral Surgery Oral Medicine Oral Pathology Oral Radiology* **6**, 638-646.
- Meloni SM, Tallarico M, Lolli FM, Deledda A, Pisano M & Jovanovic SA.(2015) Postextraction socket preservation using epithelial connective tissue graft vs porcine collagen matrix. 1-year results of a randomized controlled trial. *European Journal of Oral Implantology* **1**, 39-48.
- Mercier P & Lafontant R. (1979) Residual alveolar ridge atrophy: classification and influence of facial morphology. *Journal of Prosthetic Dentistry* **1**, 90-100.
- Misch CM. (1997) Comparison of intraoral donor sites for onlay grafting prior to implant placement. *International Journal of Oral and Maxillofacial Implants* **6**, 767-776.
- Moraschini V & Barboza ES. (2015) Effect of autologous platelet concentrates for alveolar socket preservation: a systematic review. *International Journal of Oral and Maxillofacial Surgery* **5**,632-41
- Nevins M, Camelo M, De Paoli S, Friedland B, Schenk RK, Parma-Benfenati S, Simion M, Tinti C & Wagenberg B. (2006) A study of the fate of the buccal wall of extraction sockets of teeth with prominent roots. *International Journal of Periodontics and Restorative Dentistry* **1**, 19-29.
- Nevins M, Giannobile WV, McGuire MK, Kao RT, Mellonig JT, Hinrichs JE, McAllister BS, Murphy KS, McClain PK, Nevins ML, Paquette DW, Han TJ, Reddy MS, Lavin PT, Genco RJ & Lynch SE. (2005) Platelet-derived growth factor stimulates bone fill and rate of attachment level gain: results of a large multicenter randomized controlled trial. *Journal of Periodontology* **12**, 2205-2215.
- Pietrokovski J & Massler M.(1967) Alveolar ridge resorption following tooth extraction. *Journal of Prosthetic Dentistry* **1**, 21-27.
- Pietrokovski J, Kaffe I & Arensburg B. (2007) Retromolar ridge in edentulous patients: clinical considerations. *Journal of Prosthodontics* **6**, 502-506.
- Pjetursson BE, Tan K, Lang NP, Brägger U, Egger M & Zwahlen M.(2004) A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clinical Oral Implants Research* **6**, 667-676.
- Retzepi M & Donos N. (2010) Guided Bone Regeneration: biological principle and therapeutic applications. *Clinical Oral Implants Research* **6**, 567-576.
- Schneider D, Schmidlin PR, Philipp A, Annen BM, Ronay V, Hammerle CHF, Attin T & Jung RE. (2014) Labial soft tissue volume evaluation of different techniques for-ridge preservation after tooth extraction: a randomized controlled clinical trial. *Journal of Clinical Periodontology* **41**, 612-617.
- Schropp L, Wenzel A, Kostopoulos L & Karring T. (2003) Bone healing and soft tissue contour changes following single-tooth extraction: a clinical and radiographic 12-month prospective study. *International Journal of Periodontics and Restorative Dentistry* **4**, 313-323.
- Schwartz Z, Mellonig JT, Carnes DL Jr, de la Fontaine J, Cochran DL, Dean DD & Boyan BD. (1996) Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation. *Journal of Periodontology* **9**, 918-926.
- Schwartz Z, Somers A, Mellonig JT, Carnes DL Jr, Dean DD, Cochran DL & Boyan BD. (1998) Ability of commercial demineralized freeze-dried bone allograft to induce new bone formation is dependent on donor age but not gender. *Journal of Periodontology* **4**, 470-478.
- Serino G, Rao W, Iezzi G & Piattelli A. (2008) Polylactide and polyglycolide sponge used in human extraction sockets: bone formation following 3 months after its application. *Clinical Oral Implants Research* **1**, 26-31.
- Simion M, Nevins M, Rocchietta I, Fontana F, Maschera E, Schupbach P & Kim DM. (2009) Vertical ridge augmentation using an equine block infused with recombinant human platelet-derived growth factor-BB: a histologic study in a canine model. *International Journal of Periodontics and Restorative Dentistry* **3**, 245-255.
- Simion M, Rocchietta I & Dellavia C. (2007) Three-dimensional ridge augmentation with xenograft and recombinant human platelet-derived growth factor-BB in humans: report of two cases. *International Journal of Periodontics and Restorative Dentistry* **2**, 109-115.
- Simion M, Rocchietta I, Kim D, Nevins M & Fiorellini J. (2006) Vertical ridge augmentation by means of deproteinized bovine bone block and recombinant human platelet-derived growth factor-BB: a histologic study in a dog model. *International Journal of Periodontics and Restorative Dentistry* **5**, 415-423.

- Skoglund A, Hising P & Young C. (1997) A clinical and histologic examination in humans of the osseous response to implanted natural bone mineral. *International Journal of Oral and Maxillofacial Implants* **12**, 194-199.
- Tan WL, Wong TLT, Wong MCM & Lang NP. (2012) A systematic review of post-extraction alveolar hard and soft tissue dimensional changes in humans. *Clinical Oral Implants Research* **23**, 1–21.
- Torres J, Tamimi F, Martinez PP, Alkhraisat MH, Linares R, Hernández G, Torres-Macho J & López-Cabarcos E (2009) Effect of platelet-rich plasma on sinus lifting: a randomized-controlled clinical trial. *Journal of Clinical Periodontology* **8**, 677-687.
- Trombelli L, Farina R, Marzola A, Bozzi L, Liljenberg B & Lindhe J. (2008) Modeling and remodeling of human extraction sockets. *Journal of Clinical Periodontology* **7**, 630-639.
- Vignoletti F & Sanz M. (2014) Immediate implants at fresh extraction sockets: from myth to reality. *Periodontology 2000* **66**, 132-152.
- Wood RA & Mealey BL. (2012) Histologic comparison of healing after tooth extraction with ridge preservation using mineralized versus demineralized freeze-dried bone allograft. *Journal of Periodontology* **3**, 329-336.
- Zubillaga G, Von Hagen S, Simon BI & Deasy MJ. (2003) Changes in alveolar bone height and width following post-extraction ridge augmentation using a fixed bio-absorbable membrane and demineralized freeze-dried bone osteoinductive graft. *Journal of Periodontology* **7**, 965-975.
- Κωνσταντινίδης Α. (2007) Αύξηση του όγκου της υπολειμματικής φατνιακής ακρολοφίας. *Περιοδοντολογία Δεύτερος Τόμος Μέρος Β'* σελ.1893-1895, Θεσσαλονίκη, Κωνσταντινίδης Αντώνιος.
- Επικοινωνία:** Dr Πετρίδης Αναστάσιος, DDS, Μητροπόλεως 106, 54621, Θεσσαλονίκη, Ελλάδα, Τηλέφωνο: (+30) 6944 166264, (+30) 2310 847877, Email: petridis.dent@gmail.com
- Correspondence:** Dr Petridis Anastasios, DDS, Mitropoleos 106, 54621, Thessaloniki, Greece, Phone: (+30) 6944 166264, (+30) 2310 847877, Email: petridis.dent@gmail.com

